BRAIN RESEARCH

VOL. 601 NO. 1/2 CONTENTS 22 JANUARY 1993

Guidelines for the submission of manuscripts vii

Research Reports

Neurons located in the trigeminal sensory complex and the lateral pontine tegmentum project to the oculomotor nucleus in the rabbit
M.J. Guerra-Seijas, J.L. Labandeira Garcia, J. Tobio and F. Gonzalez (Spain) 1

A role of $GABA_A$ receptors in hypoxia-induced conduction failure of neonatal rat spinal dorsal column axons
M. Lee, K. Sakatani and W. Young (USA) 14

Monoamine concentrations in rat prefrontal cortex and other mesolimbocortical structures in response to partial neonatal lesions of the medial prefrontal cortex
J.M. De Brabander, C.G. Van Eden, J.P.C. De Bruin and M.G.P. Feenstra (Netherlands) 20

Tail-pinch induced analgesia and immobility: altered responses to noxious tail-pinch by prior pinch of the neck
A. Fleischmann and G. Urca (USA, Israel) 28

Two classes of binding sites for [^{3}H]substance P in rat cerebral cortex
D.P. Geraghty and E. Burcher (Australia) 34

Organization of presumptive catecholamine-synthesizing neurons in the canine medulla oblongata
K.J. Dormer, M. Anwar, S.R. Ashlock and D.A. Ruggiero (USA) 41

Climbing fiber representation of the renal afferent nerve in the vermal cortex of the cat cerebellum
G. Tong, L.T. Robertson and J. Brons (U.S.A) 65

Local cerebral glucose utilization in the interictal state of the spontaneously epileptic rat (SER)
H. Saji, Y. Iida, M. Takahashi, M. Sasa, T. Serikawa, J. Yamada and A. Yokoyama (Japan) 76

Proconvulsant and anticonvulsant properties of ethanol: studies of electrographic seizures in vitro
S.M. Cohen, D. Martin, R.A. Morrisett, W.A. Wilson and H.S. Swartzwelder (USA, U.S.A.) 80

Synthetic Alzheimer amyloid β/A4 peptides enhance production of complement C3 component by cultured microglial cells
S. Haga, K. Ikeda, M. Sato and T. Ishii (Japan) 88

α-Difluoromethylornithine decreases inhibitory transmission in hippocampal slices independently of its inhibitory effect on ornithine decarboxylase
P.A. Ferchmin, P. DiScenna, A.M. Borroni, M.M. Velez, E.M. Rivera and T.J. Teyler (USA) 95

Origin of intracellular Ca^{2+} elevation induced by in vitro ischemia-like condition in hippocampal slices
A. Mitani, H. Yanase, K. Sakai, Y. Wake and K. Kataoka (Japan) 103

Decreased heterosynaptic and homosynaptic paired pulse inhibition in the rat hippocampus as a chronic sequela to limbic status epilepticus
J. Bekenstein, D. Rempe and E. Lothman (USA) 111

Sympathetic nerve activity after discrete hypothalamic injections of L-glutamate
H. Yoshimatsu, M. Egawa and G.A. Bray (USA) 121

Electrophysiological actions of delta opioids in CA1 of the rat hippocampal slice are mediated by one delta receptor subtype
G.B. Watson and T.H. Lanthorn (USA) 129

Distribution of guanine nucleotide-binding protein in the brain of the reeler mutant mouse
T. Terashima, T. Katada, R. Ichikawa, M. Ui and Y. Inoue (Japan) 136

Cysteine proteinases in rat dorsal root ganglion and spinal cord, with special reference to the co-localization of these enzymes with calcitonin gene-related peptide (CGRP) in lysosomes
K. Taniguchi, M. Tomita, E. Kominami and Y. Uchiyama (Japan) 143

Binding of secreted human neuroblastoma proteoglycans to the Alzheimer's amyloid A4 peptide
L. Buée, W. Ding, A. Delacourte and H. Fillit (USA, France) 154

Lack of the carboxyl terminal sequence of tau in ghost tangles of Alzheimer's disease
R. Endoh, M. Ogawara, T. Iwatsubo, I. Nakano and H. Mori (Japan) 164

Oxytocin-like peptide: a novel epitope colocalized with the FMRFamide-like peptide in the supernumerary neurons of the sex segmental ganglia of leeches — (Morphological and biochemical characterization; putative anti-diuretic function)
M. Salzet, C. Wattez, M. Verger-Bocquet, J.C. Beauvillain and J. Malecha (France) 173

Temporal profile of the induction of heat shock protein (HSP) 70 and heat shock cognate protein (HSC) 70 mRNAs after transient ischemia in gerbil brain
M. Aoki, K. Abe, J.-i. Kawagoe, S. Sato, S. Nakamura and K. Kogure (Japan) 185

Immunohistochemical localization of the inositol 1,4,5-trisphosphate receptor in the human nervous system
A.M. Suburo, J. Rodrigo, M.L. Rossi, R. Martínez-Murillo, G. Terenghi, N. Maeda, K. Mikoshiba and J.M. Polak (UK, Spain, Japan) 193

Female sexual behavior following intracerebral infusion of the 5-HT_{1A} agonist, 8-OH-DPAT, into the medial preoptic area
L. Uphouse and M. Caldarola-Pastuszka (USA) 203

(contents continued on p. 361)

Cited in Biological Abstracts (BIOSIS) - Chem. Abstracts - Index Medicus (MEDLINE) - Current Contents (Life Sci.) - Excerpta Medica (EMBASE) - Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Update) - Current Awareness in Biological Science (CABS)

BRAIN RESEARCH

VOL. 601 NO. 1/2 CONTENTS 22 JANUARY 1993

Guidelines for the submission of manuscripts vii

Research Reports

Neurons located in the trigeminal sensory complex and the lateral pontine tegmentum project to the oculomotor nucleus in the rabbit
M.J. Guerra-Seijas, J.L. Labandeira Garcia, J. Tobio and F. Gonzalez (Spain) 1

A role of $GABA_A$ receptors in hypoxia-induced conduction failure of neonatal rat spinal dorsal column axons
M. Lee, K. Sakatani and W. Young (USA) 14

Monoamine concentrations in rat prefrontal cortex and other mesolimbocortical structures in response to partial neonatal lesions of the medial prefrontal cortex
J.M. De Brabander, C.G. Van Eden, J.P.C. De Bruin and M.G.P. Feenstra (Netherlands) 20

Tail-pinch induced analgesia and immobility: altered responses to noxious tail-pinch by prior pinch of the neck
A. Fleischmann and G. Urca (USA, Israel) 28

Two classes of binding sites for [^{3}H]substance P in rat cerebral cortex
D.P. Geraghty and E. Burcher (Australia) 34

Organization of presumptive catecholamine-synthesizing neurons in the canine medulla oblongata
K.J. Dormer, M. Anwar, S.R. Ashlock and D.A. Ruggiero (USA) 41

Climbing fiber representation of the renal afferent nerve in the vermal cortex of the cat cerebellum
G. Tong, L.T. Robertson and J. Brons (U.S.A) 65

Local cerebral glucose utilization in the interictal state of the spontaneously epileptic rat (SER)
H. Saji, Y. Iida, M. Takahashi, M. Sasa, T. Serikawa, J. Yamada and A. Yokoyama (Japan) 76

Proconvulsant and anticonvulsant properties of ethanol: studies of electrographic seizures in vitro
S.M. Cohen, D. Martin, R.A. Morrisett, W.A. Wilson and H.S. Swartzwelder (USA, U.S.A.) 80

Synthetic Alzheimer amyloid β/A4 peptides enhance production of complement C3 component by cultured microglial cells
S. Haga, K. Ikeda, M. Sato and T. Ishii (Japan) 88

α-Difluoromethylornithine decreases inhibitory transmission in hippocampal slices independently of its inhibitory effect on ornithine decarboxylase
P.A. Ferchmin, P. DiScenna, A.M. Borroni, M.M. Velez, E.M. Rivera and T.J. Teyler (USA) 95

Origin of intracellular Ca^{2+} elevation induced by in vitro ischemia-like condition in hippocampal slices
A. Mitani, H. Yanase, K. Sakai, Y. Wake and K. Kataoka (Japan) 103

Decreased heterosynaptic and homosynaptic paired pulse inhibition in the rat hippocampus as a chronic sequela to limbic status epilepticus
J. Bekenstein, D. Rempe and E. Lothman (USA) 111

Sympathetic nerve activity after discrete hypothalamic injections of L-glutamate
H. Yoshimatsu, M. Egawa and G.A. Bray (USA) 121

Electrophysiological actions of delta opioids in CA1 of the rat hippocampal slice are mediated by one delta receptor subtype
G.B. Watson and T.H. Lanthorn (USA) 129

Distribution of guanine nucleotide-binding protein in the brain of the reeler mutant mouse
T. Terashima, T. Katada, R. Ichikawa, M. Ui and Y. Inoue (Japan) 136

Cysteine proteinases in rat dorsal root ganglion and spinal cord, with special reference to the co-localization of these enzymes with calcitonin gene-related peptide (CGRP) in lysosomes
K. Taniguchi, M. Tomita, E. Kominami and Y. Uchiyama (Japan) 143

Binding of secreted human neuroblastoma proteoglycans to the Alzheimer's amyloid A4 peptide
L. Buée, W. Ding, A. Delacourte and H. Fillit (USA, France) 154

Lack of the carboxyl terminal sequence of tau in ghost tangles of Alzheimer's disease
R. Endoh, M. Ogawara, T. Iwatsubo, I. Nakano and H. Mori (Japan) 164

Oxytocin-like peptide: a novel epitope colocalized with the FMRFamide-like peptide in the supernumerary neurons of the sex segmental ganglia of leeches — (Morphological and biochemical characterization; putative anti-diuretic function)
M. Salzet, C. Wattez, M. Verger-Bocquet, J.C. Beauvillain and J. Malecha (France) 173

Temporal profile of the induction of heat shock protein (HSP) 70 and heat shock cognate protein (HSC) 70 mRNAs after transient ischemia in gerbil brain
M. Aoki, K. Abe, J.-i. Kawagoe, S. Sato, S. Nakamura and K. Kogure (Japan) 185

Immunohistochemical localization of the inositol 1,4,5-trisphosphate receptor in the human nervous system
A.M. Suburo, J. Rodrigo, M.L. Rossi, R. Martínez-Murillo, G. Terenghi, N. Maeda, K. Mikoshiba and J.M. Polak (UK, Spain, Japan) 193

Female sexual behavior following intracerebral infusion of the 5-HT_{1A} agonist, 8-OH-DPAT, into the medial preoptic area
L. Uphouse and M. Caldarola-Pastuszka (USA) 203

(contents continued on p. 361)

Cited in Biological Abstracts (BIOSIS) - Chem. Abstracts - Index Medicus (MEDLINE) - Current Contents (Life Sci.) - Excerpta Medica (EMBASE) - Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Update) - Current Awareness in Biological Science (CABS)

(contents continued)

Long-lasting decrease in dopamine uptake sites following repeated administration of methamphetamine in the rat striatum
M. Nakayama, T. Koyama and I. Yamashita (Japan) 209
Cultures of ensheathing cells from neonatal rat olfactory bulbs
M.I. Chuah and C. Au (Hong Kong) 213
Differential development of cholinergic nerve terminal markers in rat brain regions: implications for nerve terminal density, impulse activity and specific gene expression
E.A. Zahalka, F.J. Seidler, S.E. Lappi, J. Yanai and T.A. Slotkin (USA, Israel) 221
Temporal and spatial preferences of c-*fos* mRNA expression in the rat brain following cortical lesion
S. Ruzdijic, S. Pekovic, S. Kanazir, S. Ivkovic, M. Stojiljkovic and L. Rakic (Yugoslavia) 230
17-β-Estradiol and progesterone modulate an intrinsic opioid analgesic system
M.B. Dawson-Basoa and A.R. Gintzler (USA) 241
Naloxone stimulates comparable release of luteinizing hormone-releasing hormone from tissue fragments from ovariectomized, estrogen-treated young and middle-aged female rats
B.S. Rubin (USA) 246
Responses of neurons in the rostral ventrolateral medulla of the cat to natural vestibular stimulation
B.J. Yates, T. Goto and P.S. Bolton (USA) 255
Long-term potentiation in rat piriform cortex following discrimination learning
F.S. Roman, F.A. Chaillan and B. Soumireu-Mourat (France) 265
Aldosterone mediates an increase in [^{3}H]ouabain binding at Na^+,K^+-ATPase sites in the mammalian inner ear
D.Z. Pitovski, M.J. Drescher, T.P. Kerr and D.G. Drescher (USA) 273
Induction of brain cytochrome P-450IIE1 by chronic ethanol treatment
H.K. Anandatheerthavarada, S.K. Shankar, S. Bhamre, M.R. Boyd, B.-J. Song and V. Ravindranath (India, USA) 279

Short Communications

Corticotropin-releasing factor enhances noradrenaline release in the rat hypothalamus assessed by intracerebral microdialysis
H. Emoto, H. Yokoo, M. Yoshida and M. Tanaka (Japan) 286
Retrograde transneuronal transport of the fluorescent dye Rhodamine β-isothiocyanate from the primary and centrifugal visual systems in the pigeon
D. Miceli, J. Repérant, L. Marchand and J.-P. Rio (Canada, France) 289
Autoradiographic analyses of the effects of estradiol benzoate on [^{3}H]paroxetine binding in the cerebral cortex and dorsal hippocampus of gonadectomized male and female rats
S.D. Mendelson, C.R. McKittrick and B.S. McEwen (USA) 299
Melatonin synthesis and circadian tryptophan hydroxylase activity in chicken retina following destruction of serotonin immunoreactive amacrine and bipolar cells by kainic acid
K.B. Thomas, M. Tigges and P.M. Iuvone (USA) 303
D.L. Meyer, J. Lara, C.R. Malz and W. Graf (FRG, Spain, France) 308
Injection of anti-neuropeptide Y γ-globulin into the hypothalamic paraventricular nucleus decreases food intake in rats
T. Shibasaki, T. Oda, T. Imaki, N. Ling and H. Demura (Japan, USA) 313
The neurotoxicity of sulfur-containing amino acids in energy-deprived rat hippocampal slices
A. Schurr, C.A. West, M.F. Heine and B.M. Rigor (USA) 317
Effect of amplitude-modulated radio frequency radiation on cholinergic system of developing rats
K.K. Kunjilwar and J. Behari (India) 321
Detection and measurement of an endogenous clonidine-displacing substance (CDS) in human cerebrospinal fluid (CSF)
H. Goldberg-Stern, D. Atlas, L. Schwartz, A. Achiron, I. Ziv, R. Djaldetti, Y. Zoldan and E. Melamed (Israel) 325
Nerve growth factor increases cortical choline acetyltransferase-positive fiber staining without affecting cortical cholinergic neurons
A.J. Dekker and L.J. Thal (USA) 329
Repeated stressful experiences differently affect the time-dependent responses of the mesolimbic dopamine system to the stressor
A. Imperato, S. Cabib and S. Puglisi-Allegra (Italy) 333
Gender- and handedness-related differences of forebrain oxygenation and hemodynamics
F. Okada, Y. Tokumitsu, Y. Hoshi and M. Tamura (Japan) 337
Sprouting of peripheral nerve axons in the spinal cord of monkeys
S.L. Florence, P.E. Garraghty, M. Carlson and J.H. Kaas (USA) 343
Alterations of serotonin receptor binding in the hypothalamus following acute denervation
M. Frankfurt, S.D. Mendelson, C.R. McKittrick and B.S. McEwen (USA) 349
Influence of intracellular pH on the membrane potential of cultured carotid body glomus cells
S.-F. He, J.-Y. We and C. Eyzaguirre (USA) 353

Author Index 358